ELSEVIER

Fluid Phase Equilibria 118 (1996) 291–292

FLUID PHASE EQUILIBRIA

Contents of Volume 118 (1996)

Vol. 118, No. 1

Theoretical papers

Towards the development of a second-order approximation in activity coefficient models based on group contributions
J. Abildskov, L. Constantinou and R. Gani (Lyngby, Denmark) 1–12

Estimations of surface tensions at different temperatures by a corresponding-states group-contribution method
P. Li, P.-S. Ma, J.-G. Dai and W. Cao (Tianjin, People's Republic of China) 13–26

Cubic equation of state for calculation of phase equilibria in association systems
M. Góral (Warsaw, Poland) 27–59

Effective potentials for liquid simulation of the alternative refrigerants HFC-32: CH_2F_2 and HFC-23: CHF_3
M. Lísal (Yokohama-shi, Japan) and V. Vacek (Prague, Czech Republic) 61–76

On the geometry of chemical reaction and phase equilibria
Y. Jiang, G.R. Chapman and W.R. Smith (Guelph, Ont., Canada) 77–102

Prediction of halocarbon liquid densities by a modified Hard Sphere–De Santis equation of state
P.S. Fialho (Angra do Heroísmo, Portugal) and C.A.N. de Castro (Lisboa, Portugal) 103–114

Prediction of liquid densities for halocarbon mixtures by a modified Hard Sphere–De Santis equation of state
P.S. Fialho (Angra do Heroísmo, Portugal) and C.A. Nieto de Castro (Lisboa, Portugal) 115–119

Modelling of the three phase LLV region for ternary hydrocarbon mixtures with the Soave–Redlich–Kwong equation of state
J. Gregorowicz (Warsaw, Poland) and Th.W. De Loos (Delft, The Netherlands) 121–132

Experimental papers

Solubility of pure 1,3 butadiene and methyl propene and their mixtures in pure n-methyl-2-pyrrolidone and in its aqueous solutions
J.V. de Oliveira (Santa Catarina, Brazil) and A.M.C. Uller (Rio de Janeiro, Brazil) 133–141

Cobalt(II) chloride complexes in molten acetamide
J. Savović, R. Nikolić (Belgrade, Yugoslavia) and D.H. Kerridge (Southampton, UK) 143–151

Vol. 118, No. 2

Theoretical papers

Application of a generalized van der Waals equation of state to several nonpolar mixtures
N. Van Nhu and U.K. Deiters (Köln, Germany) 153–174

Prediction of critical points in multicomponent systems using the PSRK group contribution equation of state
P. Kolář and K. Kojima (Tokyo, Japan) 175–200

A new cubic simplified perturbed hard-body equation of state
S.-F. Chen, Y.-L. Chou and Y.-P. Chen (Taipei, Republic of China) 201–219

Experimental papers

Measurement and correlation of solubilities of oxygen in aqueous solutions containing galactose and fructose
K. Mishima, N. Matsuo, A. Kawakami, N. Komorita, M. Nagatani (Fukuoka, Japan) and M. Ouchi (Hyogo, Japan) 221–226

Densities, speeds of sound and isentropic compressibilities of binary and ternary mixtures containing benzene, cyclohexane and hexane at 298.15 K
M. Dominguez, J. Pardo, J. Santafe, F.M. Royo and J.S. Urieta (Zaragoza, Spain) 227–240

0378-3812/96/$15.00 © 1996 – Elsevier Science B.V. All rights reserved

An improved isopiestic method for measurement of water activities in aqueous polymer and salt solutions
D.-Q. Lin, L.-H. Mei, Z.-Q. Zhu and Z.-X. Han (Hangzhou, Peoples' Republic of China) 241–248
Isobaric vapor–liquid equilibria for methyl esters + butan-2-ol at different pressures
J. Ortega and P. Hernandez (Las Palmas de G.C., Spain) 249–270
Measurement and prediction of phase equilibria in the extraction of aromatics from naphtha reformate by tetraethylene glycol
T.A. Al-Sahhaf and E. Kapetanovic (Safat, Kuwait) 271–285

Subject Index 287

Author Index 289

Contents of Volume 118 291–292